	Application No.	Applicant(s)
	• •	
Notice of Allowability	10/714,204 Examiner	ONEDA ET AL. Art Unit
	Ali Bayat	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on 1/14/08</u> .		
2. The allowed claim(s) is/are <u>1-7</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413).
	Paper No./Mail Da 7. ☐ Examiner's Amendr	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 6/11/07;4/15/04 	r. □ Examiner's Amendr	nencomment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
oi biological iviaterial	9.	

Application/Control Number:

10/714,204 Art Unit: 2624

Allowed Claims

1. Claims 1-7 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: The closest prior art of Kajiwara et al. (Pub. No: US 2002/0018597) provides for an image processing apparatus 1' with high performance, decodes predetermined entropy encoded data and encodes the decoded data by simple entropy coding (Golomb coding). The obtained encoded data is transferred (sent) from the image processing apparatus 1' to the image output apparatus 2' decoded the simple entropy encoded data in place of decoding predetermined entropy encoded data. See Fig. 16, para. 134. Kajiwara failed to teach or suggest for a load measurement unit to measure the load of the code sequence generation unit; a parameter generation unit to generate a parameter corresponding to the load; and a sending unit to send the another code sequence data; wherein the code sequence generation unit generates the another code sequence data by using the parameter such that the data amount of the another code sequence data to be sent per a unit time is adjusted according to the load. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

3. Any inquiry concerning this communication or earlier communications from

the examiner should be directed to Ali Bayat whose telephone number is 571-272-7444.

The examiner can normally be reached on M-F 9:00 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Matthew Bella can be reached on 571-272-7778. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ali Bayat A E Patent Examiner Division 2624

1/30/08

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER

Mouther C. Belle

TECHNOLOGY CENTER 2600